



# SOLARTDI

Poligono Industrial Romica  
Avd A / Parcela8 / Nave3  
02008 ALBACETE

*Tecnología inteligente Solar*







*Tecnología Ubicua*

TLF. 967616116

www.solartdi.com

tdi@solartdi.com

## KIT SOLAR autoconsumo 500W

Name/Picture	Model/specification	Quantity
<b>Solar Panel 150W</b> 	150W poly crystalline solar panels Rated power: 150W Vm: 36V size: 1474*674*35mm weight: 11Kg/Pcs Warranty: 15 years	3
<b>Controller</b> 	PWM solar controller 12V 40A Max PV input Power: 480W Size: 214*115*50mm Weight: 1.2KG	1
<b>Battery</b> 	12V200AH AGM battery Size: 522*240*224mm Warranty: 2years Service life: 8years Weight: 60KG	1
<b>Inverter</b> 	Off grid pure sine wave inverter pure sine wave inverter 500W/12VDC Size: 240x165x68mm weight: 30 Kg Warranty: 2 years	1
<b>Wire Accessories</b> 	MC4 accessory & 4 mm <sup>2</sup> PV cable total 10meters, 1 year warranty	1
<b>Solar Mounting</b> 	Solar mounting for tin roof, tile roof and flat cement roof. Solar mounting for ground. Material: Aluminum & Galvanized steel	1
<b>Total Price( Euros)</b>		1430

### Remarks:

1. Total discharge capacity: 2KWh
2. In rainy days, the battery can support 400W load work 5hours.
3. The maximum power load should not exceed 500W (including inductive load impact: such as refrigerators, air conditioners, washing machines, etc. with motor load).
4. The battery can be fully charged in 5-6hours under STC sunshine condition.

**Term:** FOB Xiamen ,China

**Payment:** T/T 30% deposit, balance paid 70% before shipment.

**Delivery:** 7-10 days delivery after payment

**Packing:** carton and wooden box or pallets.

**Warranty:** 2 years for off grid inverter & battery, 15 years for solar panel, 5 years for brackets and other accessory.



# SOLARTDI

Poligono Industrial Romica  
Avd A / Parcela8 / Nave3  
02008 ALBACETE

*Tecnología inteligente Solar*







*Tecnología Ubicua*

TLF. 967616116

www.solartdi.com

tdi@solartdi.com

## KIT SOLAR autoconsumo 1000W

Name/Picture	Model/specification	Quantity
<b>Solar Panel 250W</b> 	200W poly crystalline solar panels Rated power: 250W Vm: 36V size: 1330*992*35mm weight: 15Kg/Pcs Warranty: 15 years	4
<b>Controller</b> 	PWM solar controller 24V 50A Max PV input Power: 1200W Size: 214*115*50mm Weight: 1.2KG	1
<b>Battery</b> 	12V200AH AGM battery Size: 522*240*224mm Warranty: 2years Service life: 8years Weight: 60KG	2
<b>Inverter</b> 	Off grid pure sine wave inverter pure sine wave inverter 1000W/24VDC Size: 300x290x150mm weight: 9 Kg Warranty: 2 years	1
<b>Wire Accessories</b> 	MC4 accessory & 4 mm <sup>2</sup> PV cable total 20meters, 1 year warranty	1
<b>Solar Mounting</b> 	Solar mounting for tin roof, tile roof and flat cement roof. Solar mounting for ground. Material: Aluminum & Galvanized steel	1
<b>Total Price (Euros)</b>		2662

### Remarks:

1. Total discharge capacity: 4KWh
2. In rainy days, the battery can support 1000W load work 4hours.
3. The maximum power load should not exceed 1000W (including inductive load impact: such as refrigerators, air conditioners, washing machines, etc. with motor load).
4. The battery can be fully charged in 4-5hours under STC sunshine condition.

**Term:** FOB Xiamen ,China

**Payment:** T/T 30% deposit, balance paid 70% before shipment.

**Delivery:** 7-10 days delivery after payment

**Packing:** carton and wooden box or pallets.

**Warranty:** 2 years for off grid inverter & battery, 15 years for solar panel, 5 years for brackets and other accessory.



# SOLARTDI

Poligono Industrial Romica  
Avd A / Parcela8 / Nave3  
02008 ALBACETE

*Tecnología inteligente Solar*







*Tecnología Ubicua*

TLF. 967616116

www.solartdi.com

tdi@solartdi.com

## KIT SOLAR autoconsumo 1500W

Name/Picture	Model/specification	Quantity
<b>Solar Panel 250W</b> 	250W poly crystalline solar panels Rated power: 250W Vm: 36V Size: 1640*992*35mm weight: 18Kg/Pcs Warranty: 15 years	6
<b>Controller</b> 	PWM solar controller 24V 60A Max PV input Power: 1440W Size: 214*115*50mm Weight: 1.2KG	1
<b>Battery</b> 	12V200AH AGM battery Size: 522*240*224mm Warranty: 2years Service life: 8years Weight: 60KG	4
<b>Inverter</b> 	Off-grid pure sine wave inverter 1500W/24VDC DC: 48V AC: 220V, Frequency: 50Hz Toroidal transformer Size: 300x290x150mm weight: 10 Kg	1
<b>Wire Accessories</b> 	MC4 accessory & 4 mm <sup>2</sup> PV cable total 20meters, 1 year warranty	1
<b>Solar Mounting</b> 	Solar mounting for tin roof, tile roof and flat cement roof. Solar mounting for ground. Material: Aluminum & Galvanized steel	1
<b>Total Price (Euros)</b>		4438

### Remarks:

1. Total discharge capacity: 8KWh
2. In rainy days, the battery can support 1500W load work 5hours.
3. The maximum power load should not exceed 1500W (including inductive load impact: such as refrigerators, air conditioners, washing machines, etc. with motor load).
4. The battery can be fully charged in 6-7hours under STC sunshine condition.

**Term:** FOB Xiamen ,China

**Payment:** T/T 30% deposit, balance paid 70% before shipment.

**Delivery:** 7-10 days delivery after payment

**Packing:** carton and wooden box or pallets.

**Warranty:** 2 years for off grid inverter & battery, 15 years for solar panel, 5 years for brackets and other accessory.



# SOLARTDI

*Tecnología inteligente Solar*

*Tecnología Ubicua*







Poligono Industrial Romica  
Avd A / Parcela8 / Nave3  
02008 ALBACETE

TLF. 967616116

www.solartdi.com

tdi@solartdi.com

## KIT SOLAR autoconsumo 2000W

Name/Picture	Model/specification	Quantity
<b>Solar Panel 250W</b> 	250W poly crystalline solar panels Rated power: 250W Vm: 36V size: 1640*992*40mm weight: 18Kg/Pcs Warranty: 15 years	8
<b>Controller</b> 	MPPT solar controller 48V 50A Max PV input Power: 2200W Size: 235x188x100mm Weight: 1.6KG	1
<b>Battery</b> 	12V200AH AGM battery Size: 522*240*224mm Warranty: 2years Service life: 8years Weight: 60KG	4
<b>Inverter</b> 	Off grid pure sine wave inverter Inverter Rated power: 2000w      DC: 48V AC: 220V, Frequency: 50Hz Toroidal transformer Size: 460x230x200mm weight: 20 Kg Warranty: 2 years	1
<b>Wire Accessories</b> 	MC4 accessory & 4 mm <sup>2</sup> PV cable total 30meters, 1 year warranty	1
<b>Solar Mounting</b> 	Solar mounting for tin roof, tile roof and flat cement roof. Solar mounting for ground. Material: Aluminum & Galvanized steel	1
<b>Total Price (Euros)</b>		5313

### Remarks:

1. Total discharge capacity: 8KWh
2. In rainy days, the battery can support 2000W load work 4hours.
3. The maximum power load should not exceed 2000W (including inductive load impact: such as refrigerators, air conditioners, washing machines, etc. with motor load).
4. The battery can be fully charged in 5-6hours under STC sunshine condition.

**Term:** FOB Xiamen ,China

**Payment:** T/T 30% deposit, balance paid 70% before shipment.

**Delivery:** 7-10 days delivery after payment

**Packing:** carton and wooden box or pallets.

**Warranty: 2 years for off grid inverter & battery, 15 years for solar panel, 5 years for brackets and other accessory.**



# SOLARTDI

*Tecnología inteligente Solar*

*Tecnología Ubicua*







Poligono Industrial Romica  
Avd A / Parcela8 / Nave3  
02008 ALBACETE

TLF. 967616116

www.solartdi.com

tdi@solartdi.com

## KIT SOLAR autoconsumo 3000W

Name/Picture	Model/specification	Quantity
<b>Solar Panel 250W</b> 	250W poly crystalline solar panels Rated power: 250W Vm: 36V size: 1640*992*40mm weight: 18Kg/Pcs Warranty: 15 years	12
<b>Controller</b> 	MPPT solar controller 48V 60A Max PV input Power: 2880W Size: 235x188x100mm Weight: 1.8KG	1
<b>Battery</b> 	12V200AH AGM battery Size: 522*240*224mm Warranty: 2years Service life: 8years Weight: 60KG	8
<b>Inverter</b> 	Off grid pure sine wave inverter Inverter Rated power: 3000w      DC: 48V AC: 220V, Frequency: 50Hz Toroidal transformer Size: 650x270x200mm weight: 30 Kg Warranty: 2 years	1
<b>Wire Accessories</b> 	MC4 accessory & 4 mm <sup>2</sup> PV cable total 40meters, 1 year warranty	1
<b>Solar Mounting</b> 	Solar mounting for tin roof, tile roof and flat cement roof. Solar mounting for ground. Material: Aluminum & Galvanized steel	1
<b>Total Price (Euros)</b>		8775

### Remarks:

1. Total discharge capacity: 15KWh
2. In rainy days, the battery can support 3000W load work 5hours.
3. The maximum power load should not exceed 3000W (including inductive load impact: such as refrigerators, air conditioners, washing machines, etc. with motor load).
4. The battery can be fully charged in 6-7hours under STC sunshine condition.

**Term:** FOB Xiamen ,China

**Payment:** T/T 30% deposit, balance paid 70% before shipment.

**Delivery:** 7-10 days delivery after payment

**Packing:** carton and wooden box or pallets.

**Warranty:** 2 years for off grid inverter & battery, 15 years for solar panel, 5 years for brackets and other accessory.





# SOLARTDI

Poligono Industrial Romica  
Avd A / Parcela8 / Nave3  
02008 ALBACETE

*Tecnología inteligente Solar*

*Tecnología Ubicua*

TLF. 967616116

www.solartdi.com

tdi@solartdi.com

## KIT SOLAR autoconsumo 5000W

Name/Picture	Model/specification	Quantity
<b>Solar Panel 250W</b> 	250W poly crystalline solar panels Rated power: 250W Vm: 36V size: 1640*992*40mm weight: 18Kg/Pcs Warranty: 15 years	20
<b>Controller</b> 	MPPT solar controller 96V 60A Max PV input Power: 6000W Size: 320*225*80mm Weight: 3.6KG	1
<b>Battery</b> 	12V200AH AGM battery Size: 522*240*224mm Warranty: 2years Service life: 8years Weight: 60KG	16
<b>Inverter</b> 	Inverter Rated power: 5000w      DC: 96V AC: 220V, Frequency: 50Hz Size: 510*232*382mm weight: 65 Kg Warranty: 2 years	1
<b>Wire Accessories</b> 	MC4 accessory & 4 mm <sup>2</sup> PV cable total 60meters, 1 year warranty	1
<b>Solar Mounting</b> 	Solar mounting for tin roof, tile roof and flat cement roof. Solar mounting for ground. Material: Aluminum & Galvanized steel	1
<b>Total Price (USD)</b>		16050

### Remarks:

1. Total discharge capacity: 30KWh
2. In rainy days, the battery can support 5000W load work 6hours.
3. The maximum power load should not exceed 5000W (including inductive load impact: such as refrigerators, air conditioners, washing machines, etc. with motor load).
4. The battery can be fully charged in 6-7hours under STC sunshine condition.

**Term:** FOB Xiamen ,China

**Payment:** T/T 30% deposit, balance paid 70% before shipment.

**Delivery:** 7-10 days delivery after payment

**Packing:** carton and wooden box or pallets.

**Warranty:** 2 years for off grid inverter & battery, 15 years for solar panel, 5 years for brackets and other accessory.



# SOLARTDI

Poligono Industrial Romica  
Avd A / Parcela8 / Nave3  
02008 ALBACETE

*Tecnología inteligente Solar*

*Tecnología Ubicua*

TLF. 967616116

www.solartdi.com

tdi@solartdi.com

## KIT SOLAR autoconsumo 6000W

Name/Picture	Model/specification	Quantity
<b>Solar Panel 250W</b> 	250W poly crystalline solar panels Rated power: 250W Vm: 36V size: 1640*992*40mm weight: 18Kg/Pcs Warranty: 15 years	24
<b>Controller</b> 	MPPT solar controller 96V 60A Max PV input Power: 6000W Size: 320*225*80mm Weight: 3.6KG	1
<b>Battery</b> 	12V200AH AGM battery Size: 522*240*224mm Warranty: 2years Service life: 8years Weight: 60KG	16
<b>Inverter</b> 	Inverter Rated power: 6000w DC: 96V AC: 220V, Frequency: 50Hz Size: 510*232*382mm weight: 65 Kg Warranty: 2 years	1
<b>Wire Accessories</b> 	4mm <sup>2</sup> PV Cables 60meters( 30m red/30m black) MC4 Connector	1
<b>Solar Mounting</b> 	Solar mounting for tin roof, tile roof and flat cement roof. Solar mounting for ground. Material: Aluminum & Galvanized steel	1
<b>Total Price (Euros)</b>		17800

### Remarks:

1. Total discharge capacity: 30KWh
2. In rainy days, the battery can support 6000W load work 5hours.
3. The maximum power load should not exceed 6000W (including inductive load impact: such as refrigerators, air conditioners, washing machines, etc. with motor load).
4. The battery can be fully charged in 6-7hours under STC sunshine condition.

**Term:** FOB Xiamen ,China

**Payment:** T/T 30% deposit, balance paid 70% before shipment.

**Delivery:** 7-10 days delivery after payment

**Packing:** carton and wooden box or pallets.

**Warranty:** 2 years for off grid inverter & battery, 15 years for solar panel, 5 years for brackets and other accessory.



# SOLARTDI

Poligono Industrial Romica  
Avd A / Parcela8 / Nave3  
02008 ALBACETE

*Tecnología inteligente Solar*



*Tecnología Ubicua*

TLF. 967616116

www.solartdi.com

tdi@solartdi.com

## KIT SOLAR autoconsumo 8000W

Name/Picture	Model/specification	Quantity
<b>Solar Panel 250W</b> 	250W poly crystalline solar panels Rated power: 250W Vm: 36V size: 1640*992*40mm weight: 18Kg/Pcs Warranty: 15 years	32
<b>Controller</b> 	MPPT solar controller 96V 80A Max PV input Power: 8000W Size: 320*225*80mm Weight: 3.6KG	1
<b>Battery</b> 	12V200AH AGM battery Size: 522*240*224mm Warranty: 2years Service life: 8years Weight: 60KG	16
<b>Inverter</b> 	Inverter Rated power: 8000w      DC: 96V AC: 220V, Frequency: 50Hz Size: 510*232*382mm weight: 85 Kg Warranty: 2 years	1
<b>Wire Accessories</b> 	4mm <sup>2</sup> PV Cables 80meters( 40m red/40m black) MC4 Connector	1
<b>Solar Mounting</b> 	Solar mounting for tin roof, tile roof and flat cement roof. Solar mounting for ground. Material: Aluminum & Galvanized steel	1
<b>Total Price (Euros)</b>		20600

### Remarks:

1. Total discharge capacity: 30KWh
2. In rainy days, the battery can support 6000W load work 5hours.
3. The maximum power load should not exceed 8000W (including inductive load impact: such as refrigerators, air conditioners, washing machines, etc. with motor load).
4. The battery can be fully charged in 4-5hours under STC sunshine condition.

**Term:** FOB Xiamen ,China

**Payment:** T/T 30% deposit, balance paid 70% before shipment.

**Delivery:** 7-10 days delivery after payment

**Packing:** carton and wooden box or pallets.

**Warranty: 2 years for off grid inverter & battery, 15 years for solar panel, 5 years for brackets and other accessory.**





# SOLARTDI

Poligono Industrial Romica  
Avd A / Parcela8 / Nave3  
02008 ALBACETE

*Tecnología inteligente Solar*







*Tecnología Ubicua*

TLF. 967616116

www.solartdi.com

tdi@solartdi.com

## KIT SOLAR autoconsumo 10KW

Name/Picture	Model/specification	Quantity
<b>Solar Panel 250W</b> 	250W poly crystalline solar panels Rated power: 250W Vm: 36V size: 1640*992*40mm weight: 18Kg/Pcs Warranty: 15 years	40
<b>Controller</b> 	MPPT solar controller 192V 60A Max PV input Power: 11500W Size: 484*373*132mm Weight: 8.6KG	1
<b>Battery</b> 	12V200AH AGM battery Size: 522*240*224mm Warranty: 2years Service life: 8years Weight: 60KG	32
<b>Inverter</b> 	Inverter Rated power: 10000w      DC: 192V AC: 220V, Frequency: 50Hz Size: 510*232*382mm weight: 95 Kg Warranty: 2 years	1
<b>Wire Accessories</b> 	4mm <sup>2</sup> PV Cables 100meters( 50m red/50m black) MC4 Connector	1
<b>Solar Mounting</b> 	Solar mounting for tin roof, tile roof and flat cement roof. Solar mounting for ground. Material: Aluminum & Galvanized steel	1
<b>Total Price (Euros)</b>		32600

### Remarks:

1. Total discharge capacity: 60KWh
2. In rainy days, the battery can support 10KW load work 6hours.
3. The maximum power load should not exceed 10KW (including inductive load impact: such as refrigerators, air conditioners, washing machines, etc. with motor load).
4. The battery can be fully charged in 7-8hours under STC sunshine condition.

**Term:** FOB Xiamen ,China

**Payment:** T/T 30% deposit, balance paid 70% before shipment.

**Delivery:** 7-10 days delivery after payment

**Packing:** carton and wooden box or pallets.

**Warranty:** 2 years for off grid inverter & battery, 15 years for solar panel, 5 years for brackets and other accessory.



# SOLARTDI

*Tecnología inteligente Solar*

*Tecnología Ubicua*

Poligono Industrial Romica  
Avd A / Parcela8 / Nave3  
02008 ALBACETE

TLF. 967616116

www.solartdi.com

tdi@solartdi.com

## KIT SOLAR autoconsumo 15KW

Name/Picture	Model/specification	Quantity
<b>Solar Panel 250W</b> 	250W poly crystalline solar panels Rated power: 250W Vm: 36V size: 1640*992*40mm weight: 18Kg/Pcs Warranty: 15 years	56
<b>Controller</b> 	MPPT solar controller 192V 100A Max PV input Power: 20KW Size: 484*373*132mm Weight: 8.6KG	1
<b>Battery</b> 	12V200AH AGM battery Size: 522*240*224mm Warranty: 2years Service life: 8years Weight: 60KG	48
<b>Inverter</b> 	Inverter Rated power:15000w DC : 192V AC : 220V, Frequency : 50Hz Size : 510*232*382mm weight : 105 Kg Warranty : 2 years	1
<b>Wire Accessories</b> 	4mm² PV Cables 120meters( 60m red/60m black) MC4 Connector	1
<b>Solar Mounting</b> 	Solar mounting for tin roof, tile roof and flat cement roof. Solar mounting for ground. Material: Aluminum & Galvanized steel	1
<b>Total Price (Euros)</b>		44875

### Remarks:

1. Total discharge capacity: 90KWh
2. In rainy days, the battery can support 15KW load work 6hours.
3. The maximum power load should not exceed 15KW (including inductive load impact: such as refrigerators, air conditioners, washing machines, etc. with motor load).
4. The battery can be fully charged in 6-7hours under STC sunshine condition.

**Term:** FOB Xiamen ,China

**Payment:** T/T 30% deposit, balance paid 70% before shipment.

**Delivery:** 7-10 days delivery after payment

**Packing:** carton and wooden box or pallets.

**Warranty:** 2 years for off grid inverter & battery, 15 years for solar panel, 5 years for brackets and other accessory.



# SOLARTDI

Poligono Industrial Romica  
Avd A / Parcela8 / Nave3  
02008 ALBACETE







*Tecnología inteligente Solar*

*Tecnología Ubicua*

TLF. 967616116

www.solartdi.com

tdi@solartdi.com

20KW		
Name/Picture	Model/specification	Quantity
<b>Solar Panel 250W</b> 	250W poly crystalline solar panels Rated power: 250W Vm: 36V size: 1640*992*40mm weight: 18Kg/Pcs Warranty: 15 years	80
<b>Controller</b> 	MPPT solar controller 192V 100A Max PV input Power: 20KW Size: 484*373*132mm Weight: 8.6KG	1
<b>Battery</b> 	12V200AH AGM battery Size: 522*240*224mm Warranty: 2years Service life: 8years Weight: 60KG	64
<b>Inverter</b> 	Inverter Rated power: 20000w      DC: 192V AC: 220V, Frequency: 50Hz Size: 510*232*382mm weight: 105 Kg Warranty: 2 years	1
<b>Wire Accessories</b> 	4mm <sup>2</sup> PV Cables 160meters( 80m red/80m black) MC4 Connector	1
<b>Solar Mounting</b> 	Solar mounting for tin roof, tile roof and flat cement roof. Solar mounting for ground. Material: Aluminum & Galvanized steel	1
<b>Total Price (Euros)</b>		62900
<b>Remarks:</b> 1. Total discharge capacity: 120KWh 2. In rainy days, the battery can support 20KW load work 6hours. 3. The maximum power load should not exceed 20KW (including inductive load impact: such as refrigerators, air conditioners, washing machines, etc. with motor load). 4. The battery can be fully charged in 7-8hours under STC sunshine condition.		
<b>Term:</b> FOB Xiamen ,China <b>Payment:</b> T/T 30% deposit, balance paid 70% before shipment. <b>Delivery:</b> 7-10 days delivery after payment <b>Packing:</b> carton and wooden box or pallets. <b>Warranty:</b> 2 years for off grid inverter & battery, 15 years for solar panel, 5 years for brackets and other accessory.		